

# NEVO<sup>950</sup>



## SPECIFICATIONS (IRC version)

- LOA 10.74 m
- Hull Length 9.50 m
- LWL 7.50 m
- Beam 3.50 m
- Draft 2.00 m
- Ballast weight 1100 kg
- Air draft 15.20 m
- Light displacement 2700 Kg
- Fuel capacity 70L
- Engine Yanmar 2YM15 15 HP
- World sailing OSR cat 2 certified

## ARCHITECTS / DESIGNERS

- Naval Architecture & yacht design: Michele Molino & Giovanni Mengucci
- Boatyard: Trimarine compositos

## SAIL DIMENSIONS

- |  |          |
|--|----------|
| - Mainsail 36.1 m <sup>2</sup>             | I 12.7 m |
| - Headsail 31,2 m <sup>2</sup>             | J 4.05 m |
| - Asymetric spinnaker 106.3 m <sup>2</sup> | P 12.9 m |
| - Code0 48 m <sup>2</sup>                  | E 4.1 m  |

# NEVO<sup>950</sup>

## STANDARD EQUIPMENT

### HULL & DECK

- Epoxy E-Glass Sandwich - Infused PVC
- Structure laminated to the hull – Infused PVC
- Epoxy Sandwich Bulkheads and Transversal Structure – Infused PVC Foam
- Glued to the Hull with Methacrylate
- Mast and keel bulkheads overlaminated to the hull

### L-KEEL & BULB

- Weldox fin, shaped with FRP outer shells
- Lead/Antimony Fin bolted Bulb

### RIGGING

- Deck Stepped HM Carbon Mast AG+
- Carbon Boom
- 1x Swept-Back Carbon Spreaders
- Antal & Ropeye Deck Hardware
- Rod Forestay & dyform shrouds
- Running Backstays 2:1 on winch + 16:1 fine tune
- Batten Boom kicker vang
- Tuff luff

### RUNNING RIGGING

- 2:1 Mainsail Halyard
- 2x Masthead Halyards
- 1x 2:1 Fractional Halyard
- 1x Headsail Halyard
- Mainsail Sheet
- Mainsail outhaul & cunningham on Camcleats
- Mainsail Traveller
- 2x Mainsail Reef Lines
- Spinnaker Sheets
- Spinnaker 1:1 Tack Line
- Furler 2:1 Tack Line
- Headsail Sheets
- Headsail 3d shape control
- Headsail Reef Line

### DECK HARDWARE

- Mainsail Traveller
- 8x Pit Constrictor® textile clutches
- 2x Runners Constrictor® textile clutches
- 3x winches Antal 40
- 2x Winch Handles
- Headsail & Spinnaker Sheet Blocks
- Headsail Sheet Spinlock Clutches
- Headsail 3d Shape Control Blocks & Fittings
- Fixed Carbon Bowsprit
- 4x Portlights
- 2x Hatches
- Mast Base with integrated Blocks
- 4x Antal mooring cleats

### STEERING

- Epoxy FRP twin kick up rudders with Stainless Steel Shaft
- Self aligning Rudder Shaft bearings
- Adjustable Link Bars

### COCKPIT

- 1 Aluminium Tiller with Spinlock Telescopic Tiller Extension
- Manual Bilge Pump near Steering Position
- Navigation Compass
- Liferaft Storage in the Stern Compartment (Safety Exit)
- Adjustable Helmsman Footrests
- Swim Ladder

### SAFETY

- 2x Structural Stern Stainless Steel Pushpits
- 2x Structural Stainless Steel Pulpits
- 1x Stern Central Stainless Steel Stanchion
- 4x Pairs of Structural Stainless Steel Stanchions
- Toe Rails and footrests
- 2 Stainless Steel Handrails on Coachroof
- Stern Emergency Exit
- 2x Side + Cockpit Life Lines

# NEVO<sup>950</sup>

## STANDARD INTERIORS

### COMPANIONWAY

- 3x Non-Slip Steps
- External 2 Piece Door with Ventilation

### ACCOMODATION

- 2x Forward Cabins (Headroom: 1.72m on Hull)
- 1x Head with toilet, shower, foldable sink & storage (Headroom: 1.75m on sole)
- 1x Storage room (opposite to the Head)
- Living area with central galley, side seating and table (Headroom: 1.80m on sole)
- Removable Canvas lockers Outils Océans

### ENGINE

- Yanmar 2YM15 with Saildrive SD25
- Engine Control with Removable Spinlock Handle in Cockpit
- Engine Control Panel close to the Companionway
- Fully removalbe Engine Box for Servicing
- 2 Blades Gori Folding Propeller
- Filters: Seawater – Diesel – Water Separator
- Anti-siphon check valve
- 1x 70L roto-moulded diesel fuel tank with visual gauge
- Fuel circuit shutoff on pull tab in companionway

### ELECTRICITY

- 12V Circuit
- 1x Engine Battery (70Ah) in the engine compartment
- 2x Service batteries (200Ah each) under companionway
- 1x Battery controller
- Electrical panel under companionway
- Remote Electrical panel keypad on central console
- 1x 12V Socket
- Navigation Lights
- Battery cut off levers



# NEVO<sup>950</sup>

## OPTIONS & PACKS

### ELECTRONICS PACK: NKE STANDARD

- 2x Multigraphic2 Display on the coachroof sides
- 1x MultiDisplay Display on the coachroof center
- 1x Pilot Pad on navigation station
- 1x Aluwind2 HR wind sensor
- 1x Compass 9x
- 1x GPS HF sensor
- 1x Dual Log/Depth Interface
- 2x Speed Sensor
- 1x Depth Sensor
- 1x Battery Controller
- 1x GyroPilot3 autopilot computer
- 1x Raymarine T1 Electric Autopilot Piston
- 1x Box N2K interface
- 1x ICOM Dsc Vhf + Mast Aerial + Splitter
- 1x Watcheye AIS Transponder
- 1x Marine Computer + Monitor on articulated stand  
+ mouse + keyboard

### SAILS PACK: INCIDENCE

- 1x Mainsail - DFi Regate (37.60m<sup>2</sup>)
- 1x J2 - DFi Regate (32.20m<sup>2</sup>)
- 1x J3/ORC + Reef - DFi Regate (24.00m<sup>2</sup>)
- 1x Storm Jib - D1 Crosiere (8.88m<sup>2</sup>)
- 1x Jib Top - D3 Regate (32.20m<sup>2</sup>)
- 1x Code0 IRC - BX 10/15 (49.50m<sup>2</sup>)
- 1x Spi Asy. A2 - Nylon Curse (109.20m<sup>2</sup>)
- 1x Spi Asy. A3 + Reef A5 - Nylon Curse (82.0m<sup>2</sup>)
- 1x Furler Profurl Nex 2.5 + Anti-Twist Cable + hook
- 1x Sail Awning
- 1x Pontoon Stowing Bag

### MOORING & DOCKING PACK:

- 4x Outils Océans Fenders
- 1x Aluminum Fortress Anchor + 10m Chain + 50m Line
- 1x Outils Océans Achor Bag
- 4x Mooring Lines
- 2x Rudder Covers

### STORAGE PACK:

- Anti-roll Canvas for all sleeping/storage areas
- 4x Outils Océan cockpit Rope Bags
- 4x Small Outils Océan interior wall mount bags
- 4x Matos60 Outils Océan Storage Bags
- 1x Tool Bag
- 1x Pharmacy Bag (bag only)

### SAFETY PACK

- 1x 6p Race Liferaft ISO9650-1
- 1x EPIRB
- 2x Personal AIS
- 4x Spinlock Deckvest 6D
- 4x Safety Lines
- 1x Standard >12Nm safety pack – Osculati
- 1x ICOM Waterproof personal VHF

### LAND OPERATIONS PACK:

- Boat launch (keel & mast stepping, antifouling, trailing edges preparation)

---

info@nevoyachts.com